


NERI

CAVO SOLUTIONS



CAVO SOLUTIONS

The *Cavo Solutions* series now allows nearly every Neri lantern, both Contemporary and Heritage, to be installed on standard cable in any application. Choose from three brackets: simple cable bracket for use on slacked or straight cable, angle-mount bracket offering slope adjustment up to 45 degrees, and a decorative slide-mount bracket. The *Cavo Solutions* work on standard 3/8" to 1/2" tension cable and have a water-protected entry and exit path for standard outdoor-rated SJ wiring. Use *Cavo Solutions* for an ethereal element on your next project.

Materials. The brackets are manufactured in hot-galvanized steel (UNI EN ISO 1461).

Finishes. The standard color is Neri grey; created with a color formula designed to replicate the characteristic tone of cast iron. All materials are further treated with a highly eco-friendly, water-based paint process. Salt pray and UV Exposure testing of over 1500 hours is conducted to the most rigorous standards.

MOUNTING BRACKETS

Simple cable bracket
Model 9525.135



Applications

- Slacked cable
- Indoor
- Short lengths (<25'/8 m)
- Smaller fixtures on long lengths

Dimensions and weight

- Length 1.625" (4 cm)
- Height 4.75" (12 cm)
- Weight 1.1 lbs (0.5 kg)
- EPA = 0.06 sqf (0.005 m²)

Specifications

- Bracket designed for use with 3/8" to 1/2" diameter steel cables
- Clamp locked in place with stainless steel M8 bolts
- Works with any Neri suspended lantern with 3/4" BSPP/GAS threaded connection
- Channel for electric cable inverted 180° to prevent water ingress
- Use with outdoor-rated wiring for exterior applications

Angle-mount bracket
Model 9525.135.004



Applications

- Sloped cable applications


Dimensions and weight

- Length 5.5" (14 cm)
- Height 8.25" (21 cm)
- Weight 2.2 lbs (1 kg)
- EPA = 0.2 sqf (0.018 m²)

Specifications

- Bracket designed for use with 3/8" to 1/2" diameter steel cables mounted at an angle
- Slope position locked in place with (4) stainless steel M6 screws
- Clamp locked in place with stainless steel M8 bolts
- Works with any Neri suspended lantern with 3/4" BSPP/GAS threaded connection
- Channel for electric cable inverted 180° to prevent water ingress
- Use with outdoor-rated wiring for exterior applications

Decorative slide-mount bracket
Model 4006.330.003



Applications

- Decorative aesthetic
- Long cable lengths (>25'/8 m)
- Areas where wind stability may be of concern

Dimensions and weight

- Length 17.5" (44,5 cm)
- Height 5.5" (14 cm)
- Width 2.0" (5 cm)
- Weight 4.84 lbs (2.2 Kg)
- EPA = 0.15 sqf (0.014m²)

Specifications

- Bracket designed for use with 3/8" to 1/2" diameter steel cables mounted at an angle
- Position locked in place with quick-coupling system using two sliding clamps and stainless steel M8 bolts
- Fixture kept stabilized through tilt control system oscillating on stainless steel pins in the central element
- Works with any Neri suspended lantern with 3/4" BSPP/GAS threaded connection via quick-fastening system system composed of a threaded brass ring nut and safety dowel
- IP67 rated electrical cable inlet includes wire guide elbow and raceway with rubber seal
- Use with outdoor-rated wiring for exterior applications

LIGHTING FIXTURES

Comfort solutions for pedestrian applications

LED sources from 2,500 to 4,500 Lumens;
HID and HPS from 20W to 150W. Simple
E26-based socket options for single
lamp or triple-lamp decorative solutions.

Heritage collection



Light 804



Light 801



Light 700



Light 650




Light 600



Light 550



Light Globe (350 mm)



Light Globe (400 mm)



Light Globe (500 mm)



Light 500



Light 400



Light 21

Heritage collection



Light 22



Light 30



Light 20

Contemporary collection



Light Chara (Diogene)



Light 104



Light 31

LIGHTING FIXTURES

Performance solutions for roadway and area lighting

LED sources from 4,500 to 6,000 Lumens; HID and HPS up to 250W.

Heritage collection



Light 23

Contemporary collection



Light 24



Light 34



Light 37



Light 32



Top left
Alexandria, VA, USA
Neri Cavo Solutions using 4006.330.003 bracket and Light Chara fixture for pedestrian application. Overall lower cost installation with improved plaza lighting and unique aesthetic.

Top right
Ravenna, Italy
Neri Cavo Solutions using 4006.330.003 bracket and Light 34 fixture for roadway application. Benefits include even illumination and eliminating pole maintenance.

Bottom
Verona, Italy
Neri Cavo Solutions using 4006.330.003 bracket and Light 34 fixture for area lighting application. Smaller width pedestrian alleys maximize space while limiting vandalism potential.



NERI S.p.A.

S.S. Emilia 1622
47020 Longiano (FC) - Italy
T +39 0547 652111
F +39 0547 54074

NERI NORTH AMERICA INC.

1835 NW 112th Avenue Suite 176
Miami, FL 33172 - USA
T +1 786 315 4367
F +1 786 257 1336

NERI LIGHTING (INDIA) PVT. LTD.

14, Bhattarahalli - K R Puram
Bengaluru - 560049
T +91 80 30 613 658

Neri Branch office

DUBAI

NERI S.p.A. (JLT Branch)

29-13 Reef Tower Cluster O
JLT - Jumeirah Lake Towers
P.O. Box: 115738 - Dubai - UAE
T +971 4 448 7246
F +971 4 448 7112